




EasySnap™

Catalogue of Acoustic Baffles System



DeFelt®



EasySnap® Acoustic Baffles System



Content

01	Introduction
02	Collection List
03	Products Details
04	EasySnap Accessories
05	Acoustic Specifications
06	Product Specifications
07	Colors & Printing
08	Ordering Informations

DeFelt

More about produt & materials You can find at www.defelt.com



Modular acoustic ceiling baffles combining good sound absorption with modern design. Easy to install, perfect for residential and commercial interiors.

Why EasySnap?

Thoughtfully designed with a focus on aesthetics,

Made from recycled PET felt,

Meets sustainability and quality standards,



Improve the room's acoustics without altering the furniture or flooring.

Origin

Created from our office needs - designed to enhance acoustics and well-being with aesthetic impact.

EasySnap™ Acoustic Baffles System Collection was designed with creativity and freedom to explore the boundary between aesthetics and acoustic quality.





①

Create a pleasant atmosphere and improve the room's acoustic properties without replacing the furniture! Add something new to the ceiling, and you'll gain much more.

②

EasySnap is an ideal solution for all types of interiors. It performs especially well in heavily glazed spaces, helping to reduce echo and reverberation.

③

Even a single piece can transform an entire space, adding character and personality



④

Ideal for offices, where calm and focus are just as important as high productivity and aesthetics

⑤



It works perfectly as an accent in the room, guiding customers' eyes along long lines in a specific direction.

⑥ ⑦

TwinFelt is a unique technology that allows felt to be coated with a second material, hereby enhancing its possibilities for interior design.

⑧ ⑨









We also offer printing on a panels that imitates materials such as wood, stone, marble or othertexture



Go to DeFelt's website
Explore Our products and felt samples!


www.defelt.com





Go to DeFelt's website
Explore Our products and felt samples!


www.defelt.com/products/ 





Light

Delicate acoustic baffles with an additional expansion gap that significantly improves the acoustic performance of your interior.




- 
EasySnap Light in DF24 Color
- 
EasySnap Light in DF18 Color



About EasySnap Light

- Modular joining: 
- FeltLock System* ready: 
- Ready to print: 
- Ready to TwinFelt*: 


*Find more at: www.defelt.com



Dimensions






- Baffle lenght: 1200
- Baffle width: 1200
- Baffle height 175
- Mounting lenght 1020
- Mounting width 1050
- Lamellen height: 137
- Lamellen width: 25
- Lamellen lenght: 1200
- Lamellen spacing: 125

[mm]




Details

Included:

-  x8
Acoustic Lamellen
-  x4
Mounting Rails
-  x16 x16
Rails & Lamellen Baffles Connectors
-  x4
FeltLock Suspension System
- 
Assembly Guides

Medium

A ceiling decoration with deep acoustic slats and an additional expansion gap that significantly improves the acoustic performance of your interior.



EasySnap Medium in DF04 Color




EasySnap Medium in DF02 Color



About EasySnap Medium

- Modular joining: ✓
- FeltLock System* ready: ✓
- Ready to print: ✓
- Ready to TwinFelt*: ✓


*Find more at: www.defelt.com



Dimensions


- Baffle lenght: 1200
- Baffle width: 1200
- Baffle height 225
- Mounting lenght 1020
- Mounting width 1050
- Lamellen height: 187
- Lamellen width: 25
- Lamellen lenght: 1200
- Lamellen spacing: 175

[mm]




Details


Included:



Acoustic Lamellen




Mounting Rails



Rails & Lamellen Baffles Connectors




FeltLock Suspension System



Assembly Guides

Bold

Wide, densely arranged ceiling lamellas work perfectly in any interior where top acoustic performance matters.




- 
EasySnap Bold in DF02 Color
- 
EasySnap Bold in DF04 Color



About
EasySnap Bold

- Modular joining: 
- FeltLock System* ready: 
- Ready to print: 
- Ready to TwinFelt*: 


*Find more at: www.defelt.com



Dimensions






- Baffle lenght: 1200
- Baffle width: 1200
- Baffle height 160
- Mounting lenght 1020
- Mounting width 1050
- Lamellen height: 125
- Lamellen width: 50
- Lamellen lenght: 1200
- Lamellen spacing: 100

[mm]




Details

Included:

-  x8
Acoustic Lamellen
-  x4
Mounting Rails
-  x16 x16
Rails & Lamellen Baffles Connectors
-  x16
Lamellen Caps
-  x4
FeltLock Suspension System
- 
Assembly Guides

Great

Deep lamellas with a large air gap for special tasks.
Perfect for offices that require enhanced
acoustic performance.




- 
EasySnap Great in DF08 Color
- 
EasySnap Great in DF24 Color

About EasySnap Great

- Modular joining: 
- FeltLock System* ready: 
- Ready to print: 
- Ready to TwinFelt*: 


*Find more at: www.defelt.com



Dimensions





- Baffle lenght: 1200
- Baffle width: 1200
- Baffle height 202
- Mounting lenght 1020
- Mounting width 1050
- Lamellen height: 165
- Lamellen width: 50
- Lamellen lenght: 1200
- Lamellen spacing: 150

[mm]




Details

Included:

-  x6
Acoustic
Lamellen
-  x4
Mounting
Rails
-  x12 x16
Rails & Lamellen
Baffles Connectors
-  x12
Lamellen
Caps
-  x4
FeltLock
Suspension System
- 
Assembly
Guides

Wide

Wide lamellas with an air gap that effectively conceal your ceiling while improving the room's acoustic performance.




- 
EasySnap Wide in DF02 Color
- 
EasySnap Wide in DF04 Color



About EasySnap Wide

- Modular joining: 
- FeltLock System* ready: 
- Ready to print: 
- Ready to TwinFelt*: 


*Find more at: www.defelt.com



Dimensions






- Baffle lenght: 1200
- Baffle width: 1200
- Baffle height 110
- Mounting lenght 1020
- Mounting width 1050
- Lamellen height: 70
- Lamellen width: 125
- Lamellen lenght: 1200
- Lamellen spacing: 25

[mm]




Details

Included:

-  x8
Acoustic Lamellen
-  x4
Mounting Rails
-  x16 x16
Rails & Lamellen Baffles Connectors
-  x16
Lamellen Caps
-  x4
FeltLock Suspension System
- 
Assembly Guides

Low

A ceiling panel with elegant lamellas that blend perfectly into any interior. At the same time, you can be sure it's the right choice if good acoustics matter to you.




- 
EasySnap Low in DF24 Color
- 
EasySnap Low in DF18 Color



About
EasySnap Low

- Modular joining: 
- FeltLock System* ready: 
- Ready to print: 
- Ready to TwinFelt*: 


*Find more at: www.defelt.com



Dimensions






- Baffle lenght: 1200
- Baffle width: 600
- Baffle height 110
- Mounting lenght 520
- Mounting width 1050
- Lamellen height: 70
- Lamellen width: 50
- Lamellen lenght: 1200
- Lamellen spacing: 25

[mm]




Details

Included:

-  x8
Acoustic Lamellen
-  x4
Mounting Rails
-  x16 x16
Rails & Lamellen Baffles Connectors
-  x16
Lamellen Caps
-  x4
FeltLock Suspension System
- 
Assembly Guides

High

Deeper lamellas with an additional air gap are one of the most versatile EasySnap solutions.




- 
EasySnap High in DF04 Color
- 
EasySnap High in DF08 Color



About EasySnap High

- Modular joining: 
- FeltLock System* ready: 
- Ready to print: 
- Ready to TwinFelt*: 


*Find more at: www.defelt.com



Dimensions





- Baffle lenght: 1200
- Baffle width: 600
- Baffle height 135
- Mounting lenght 520
- Mounting width 1050
- Lamellen height: 95
- Lamellen width: 50
- Lamellen lenght: 1200
- Lamellen spacing: 25

[mm]




Details

Included:

-  x8
Acoustic Lamellen
-  x4
Mounting Rails
-  x16 x16
Rails & Lamellen Baffles Connectors
-  x16
Lamellen Caps
-  x4
FeltLock Suspension System
- 
Assembly Guides

Mixed

Accent Ceiling Panels are the perfect finishing touch to crown your ceiling. If you value strong performance and refined decoration, this is an excellent choice.




- 
EasySnap Accent in DF04 Color
- 
EasySnap Accent in DF24 Color



About EasySnap Mixed

- Modular joining: 
- FeltLock System* ready: 
- Rearranging elements: 
- Ready to print: 
- Ready to TwinFelt*: 


*Find more at: www.defelt.com



Dimensions






- Baffle lenght: 1200
- Baffle width: 600
- Baffle height: 135
- Mounting lenght: 520
- Mounting width: 1050
- Lamellen height: 70 / 95
- Lamellen width: 50
- Lamellen lenght: 1200
- Lamellen spacing: 25

[mm]




Details

Included:

-  x8
Acoustic Lamellen
-  x4
Mounting Rails
-  x16 x16
Rails & Lamellen Baffles Connectors
-  x16
Lamellen Caps
-  x4
FeltLock Suspension System
- 
Assembly Guides

Accent

A versatile solution featuring wide, narrow, deep, and shallow lamellas designed to meet your expectations as precisely as possible.




- 
EasySnap Mixed in DF02 Color
- 
EasySnap Mixed in DF18 Color



About EasySnap Accent

- Modular joining: 
- FeltLock System* ready: 
- Rearranging elements: 
- Ready to print: 
- Ready to TwinFelt*: 


*Find more at: www.defelt.com



Dimensions





- Baffle length: 1200
- Baffle width: 600
- Baffle height: 132
- Mounting length: 520
- Mounting width: 1050
- Lamellen height: 95 / 70
- Lamellen width: 50 / 125
- Lamellen length: 1200
- Lamellen spacing: 25

[mm]




Details

Included:

-  x7
Acoustic Lamellen
-  x4
Mounting Rails
-  x14 x16
Rails & Lamellen Baffles Connectors
-  x14
Lamellen Caps
-  x4
FeltLock Suspension System
- 
Assembly Guides

Casette

An excellent choice for suspended ceilings. These exceptional acoustic panels will instantly enhance your interior's acoustic performance while making the space feel more pleasant and warmer.




↑
EasySnap Casette in DF18 Color

←
EasySnap Casette in DF04 Color

About EasySnap Casette

- Compatible with 595×595 suspension systems: ✓
- Ready to print: ✓
- Ready to TwinFelt*: ✓


*Find more at: www.defelt.com



Dimensions



Full module:	595×595
Baffle height	145
Lamellen height:	100
Lamellen width:	40
Lamellen spacing:	45
Lamellen lenght:	595

[mm]



Details

Included:



FeltLock Suspension System

Choose the best solution for installing EasySnap Acoustic Baffles decoratons.
The FeltLock Suspension System is a dedicated solution that you can add to your order.


Details:

Ceiling Attachment

From our experience, we know that unique projects require unique solutions - that's why we offer a rich selection zzof mounting components*.

Available finishes:

- Nickle plated*
- White
- Gray
- Black




Wires

A high-quality steel cable that will discreetly support the weight of the baffles, so you won't have to worry about anything else.

Available finishes:

- Nickle plated*
- White
- Gray
- Black




FeltLock mountings

From our experience, we know that unique projects require unique solutions - that's why we offer a rich selection of mounting components.

**Ask our sales representatives for the full offer.*

Available finishes:

- Nickle plated*
- White
- Gray
- Black




*Nickel plating is our basic finish, which is include with every FeltLock suspended system.

If you'd like to explore the full catalog of our FeltLock solutions,
contact our sales representative or visit our website!

www.defelt.com

FeltLock



About:

DeFelt offers unique solutions that help you enhance the aesthetic and functional qualities of EasySnap quickly and effortlessly. **Moreover, each of the elements listed below is included free with every set!**

Rails connectors

Rail connectors are a special system that allows you to expand the panel grid with additional elements, creating a stable suspended EasySnap structure. These connectors can be installed quickly, and because they are made from the same material, they are nearly invisible!



Lamellen connectors

Lamella connectors are our specially designed system for joining lamellas so they form a straight line along the entire length of your ceilings. This ensures that wind or other conditions affecting stability won't disrupt perfectly straight lines.



Lamellen caps

A simple solution that significantly enhances the aesthetics of your interior. With end caps, you can conceal open lamellas, creating a unique character for your ceiling.



Wires

Each order includes our FeltLock solution in the basic version, in the "nickel plated" color. It consist of: ceiling attachment, wires and FeltLock mountings.

You can find more informations on the previous page or bu asking our salesman representatives.



SOUND ABSORPTION MEASUREMENT
FOR DEFELT EASYSNAP
CEILING ACOUSTIC BAFFLES

Tested: MAY 2026



Measurment Procedure

The absorption measurements were performed according to the standard SS-EN ISO 354:2003. The measurements were made with three speaker positions and four microphone positions. The results for sound absorption area were evaluated according to SS-ISO 20189:2019 (Swedish approval of ISO 20189:2018).

Legend details

Each panel was tested in several different ways. Below is a description of each test, explaining the arrangement and configuration in which the baffles were positioned.

Air Gap (200 mm)

This means that the ceiling panels have been installed across the entire area in such a way that they form a continuous plane covering the entire space under examination.

A 200 mm or 400 mm air gap is placed between the ceiling surface and the plane created by the suspended baffles.

Direct Fixing

This means that the ceiling panels have been installed across the entire area in such a way that they form a continuous plane covering the entire space under examination.

No additional air gap is present between the ceiling surface and the underlying structure.






Set of 1-4

This setup means that the tested system consisted of separate ceiling islands made up of a specified number of panels, as described in the specification. If there were more than two panels, they were connected together to form a unified structure













Some of the tests were additionally conducted with an air gap between the ceiling surface and the panel arrangement.

If You need more informations about certs and test,
Please contact our sales representative or visit our website!

www.defelt.com/contact-us/




Felt Colors

					
Common White DF-01	Pure Milk DF-02	Coconut White DF-03	Dark Jute DF-04	Creamy Honey DF-05	Zara Beige DF-06
					
Cotton Grey DF-07	Koala Grey DF-08	Smoke Grey DF-09	Maestro Grey DF-10	Moon Grey DF-11	Dark Truffle Grey DF-12
					
Nardo Grey DF-13	Intense Grey DF-14	Graphite Black DF-15	Common Black DF-16	Powder Blue DF-18	Baby Bean DF-19
					
Grey Olive Green DF-24	Night Blue DF-30	Jungle Green DF-31	Denim Blue DF-32	Autumn Orange DF-52	Sesame Yellow DF-53
					
Peanut Brown DF-57	Cocoa Powder DF-58	Rust Brown DF-59	Sand Grey DF-69	Moss Green DF-70	Matte Green DF-71
					
Royal Blue DF-72					




Keep in mind that the colors of PET felts and fabrics may vary slightly from what you see in the catalog.

For the most accurate representation, we recommend referring to our sample book or sample individually sent. Due to the production process of both fiber and PET felt, there may be slight variations in material between different production batches. Additionally, please take into consideration that PET panels have distinct left and right sides so try always to present only one side of the sheet. Due to the manufacturing process, the felt board may show differences in shade depending on the direction of laying. We recommend laying all pieces in one direction to avoid undesirable visual effects. This is particularly important to consider when installing larger structures, such as wall-mounted panels or acoustic drop ceiling.

WoodEcho™

					
Nordic Blonde PWE-01	Drift Oak PWE-02	Nordic Maple PWE-03	Natural Oak PWE-04	Sahara Oak PWE-05	Amber Grain PWE-06
					
Golen Harvest PWE-07	Urban Cocoa PWE-08	Tabacco Essence PWE-09	Copper Elm PWE-10	Cognac Oak PWE-11	Midnight Walnut PWE-12

ArchıCalm™ & AcousticMarble™

		
Travertine PAC-01	Concrete Smooth PAC-02	Concrete Rough PAC-03
		
Terazzo Green PAC-07	Terazzo Purple PAC-08	Carrara PAM-08
		
Grainte Rosa PAC-04	Beige Sandstone PAC-05	Black Slate PAC-06



DecoTones™

		
Blueish Plain PDT-01	Honey Plain PDT-02	Gray Plain PDT-03

CorkFeltFusion™
Cork layer laminated with felt


		
Plain Cork CF-007PC	Soft Cork CF-20SC	Classic Cork CF-42CC
		
Rustic Cork S CF-58RCS	Rustic Cork M CF-27RCM	Rustic Cork Dark CF-61RCD
		
Mosaic Cork CF-30MC	Cork Swirl CF-86CS	

TwinFelt®
Two laminated layers of felt

		
DF06 & TF34	DF71 & TF33	DF04 & TF31


Make a Order

Our extensive production experience is at your disposal. Our team of consultants is ready to answer all your questions. We strive to fulfill orders as quickly as possible, so we kindly ask for the most detailed description of your inquiries. We would be glad to guidet you through the process of placing an order.



Digital Library

We maintain a library that offers a comprehensive range of data and detailed information about all our products. It is designed to help you find answers quickly and support you in making informed decisions. We invite you to explore it here: defelt.com/resource-library/



Contact with Us!

We are here for you. You can reach us via email or by phone, and we will be happy to answer any questions you may have. Be sure to follow us on Instagram and LinkedIn as well!





+48 669 210 173
contact@defelt.com
www.defelt.com

DeFelt Sp. z o.o.
ul. Rakietowa 35
54-615 Wrocław, Poland

The DeFelt® logo is a nationally and internationally registered trademark, exclusively owned by DeFelt sp. z o.o.. It cannot be reproduced or used for commercial or other purposes without prior written authorization from DeFelt. DeFelt has ensured that the information contained in this catalog is as accurate as possible; however, it declines all responsibility for any errors. DeFelt reserves the right to make modifications and improvements of a technical or aesthetic nature to the products at any time without notice. The reproduction (even partial) of this catalog, for any reason and with any means, is prohibited without the prior written permission of DeFelt.

Please note that the actual appearance of DeFelt felt products may differ or vary slightly from the images shown in the catalog. This is because each type and batch of felt and fabric has its own unique characteristics. We view this as an advantage for each product is unique and unrepeatable. Keep in mind that the colors of PET, felts, and fabrics may vary slightly from what you see in the catalog. For the most accurate representation, we recommend referring to our sample book or sample individually sent.

Due to the production process of both fiber and PET felt, there may be slight variations in material between different production batches. Additionally, please take into consideration that PET panels have distinct left and right sides so always try to present only one side of the sheet. Due to the manufacturing process, the felt board may show differences in shade depending on the direction of laying. We recommend laying all pieces in one direction to avoid undesirable visual effects. This is particularly important to consider when installing larger structures, such as wall-mounted panels or acoustic drop ceiling.